

Bibliografia

- Balazs G.H., Craig P., Winton B.R. and Miya R.K.** (1994). Satellite telemetry of green turtles nesting at French Frigate Shoals, Hawaii, and Rose Atoll, American Samoa. In *Proceedings of the 14th Annual Symposium on Sea Turtle Biology and Conservation*, eds. K.A. Bjorndal, A.B. Bolten, D.A. Johnson and P.J. Eliazar. NOAA Tech. Memo. NMFS-SEFSC-351
- Bjorndal K. A.** (1985). Nutritional ecology of sea turtles. *Coepia*, 736
- Bjorndal K. A.** (1997). Foraging ecology and nutrition of sea turtles. In : Lutz P. L., Musick J. A. (eds) *The biology of sea turtles*. CRC Press, Boca Raton, pp. 199-231
- Bjorndal K. A.** et al., (1999). Twenty six years of green turtle nesting at Tortugero Costa Rica. An encouraging trend. *Conserv. Biol*, 13, 126- 134
- Booth J., Peters J. A.** (1972). Behavioural study of the green turtle *Chelonia mydas* in the sea. *Amin. Behav.* 20:808-812
- Brill R.W., Balazs G.H., Holland K.N., Chang R.K.C., Sullivan S. and George J.C.** (1995). Daily movements, habitat use, and submergence intervals of normal and tumor-bearing juvenile green turtles (*Chelonia mydas* L.) within a foraging area in the Hawaiian islands. *J. Exp. Mar. Biol. Ecol.* 185, 203-218.
- Carr A. F.** (1965). The navigation of green turtle. *Sci. Am.*, 212, 78
- Carr A. F.** (1987). New perspectives on the pelagic stage of sea turtle development, *Conserv. Biol.* 1, 103
- French J.** (1994). Wildlife telemetry by satellite. *Endeavour* 18, 32-37.
- Frick M. G., Slay C. K., Quinn C. A., Windham-Reid A., Ryder C. M., Morse L. J.** (2000). Aerial observation of courtship behaviour in loggerhead sea turtle (*Caretta caretta*) from south-eastern Georgia and north-western Florida. *J. Herpetol.* 34:153-158
- Girard C., Sudre J., Benhamou S., Roos D. and Luschi P.** (2006). *Chelonia mydas*: oceanic currents act as a constraint rather than as an information source. *Mar. Ecol. Progr. Ser.* 322, 281-289.

- Gitschlag G. R.** (1996). Migration and diving behaviour of Kemp's ridley (German) sea turtle along the U.S. southeastern Atlantic coast. *Exp Mar Biol Ecol* 205:115-135
- Glass M. L., Wood S. C.** (1983). Gas exchange and control of breathing in Reptiles, *Physiol. Rev.*, 63, 232.
- Godley B. J., Broderick A. C., Frauenstein R., Glen F., Hays G. C.** (2002). Reproductive seasonality and sexual dimorphism in green turtle. *Mar Ecol Progr Ser*, 226:125-133
- Godley B.J., Broderick A.C. and Hays G.C.** (2001). Nesting of green turtles (*Chelonia mydas*) at Ascension Island, South Atlantic. *Biol. Conserv.* 97, 151-158.
- Hays G.C., Metcalfe J.D. and Walne A.W.** (2004). The implications of lung-regulated buoyancy control for dive depth and duration. *Ecology* 85, 1137-1145.
- Hays G.C., Metcalfe J.D., Walne A.W. and Wilson R.P.** (2004b). First records of flipper beat frequency during sea turtle diving. *J. Exp. Mar. Biol. Ecol.* 303, 243-260
- Hays G.C., Åkesson S., Broderick A.C., Glen F., Godley B.J., Papi F. and Luschi P.** (2003). Island-finding ability of marine turtles. *Proc. R. Soc. Lond. B* 270 Suppl. 1, 5-7.
- Hays G. C., Åkesson S., Broderick A. C., Glen F., Godley B. J., Luschi P., Martin C., Metcalfe J. D., Papi F.** (2001). The diving behaviour of green turtles undertaking oceanic migration to and from Ascension Island: dive durations, dive profiles and depth distribution. *J Exper Biol*, 204, 4093-4098
- Hays G.C., Dray M., Quaife T., Smyth T.J., Mironnet N.C., Luschi P., Papi F. and Barnsley M.J.** (2001b). Movements of migrating green turtles in relation to AVHRR derived sea surface temperature. *Intern. J. Rem. Sens.* 22, 1403-1411
- Hays G.C., Adams C.R., Broderick A.C., Godley B.J., Lucas D.J., Metcalfe J.D. and Prior A.A.** (2000). The diving behaviour of green turtles at Ascension Island. *Anim. Behav.* 59, 577-586.
- Hays G. C., Luschi P., Papi F., del Seppia C., Marsh R.** (1999). Changes in behaviour during the internesting period and postnesting migration for Ascension Island green turtle. *Mar Ecol Progr Ser*, 189, 263-273

- Hays, G. C., Adams C. R., Broderick A. C., Godley B. J., Lucas D. J., Metcalfe J. D., Prior A. A.** (1999b). The diving behaviour of green turtle at Ascension Island. *Anim. Behav* , 59, 577-586
- Hendrickson J. R.** (1980). The ecological strategies of sea turtles. *Am. Zool.*, 20, 597
- Hertel H.** (1966). Structure, Form, Movement. New York: Reinhold
- Hochscheid S., Godley B.J., Broderick A.C. and Wilson R.P.** (1999). Reptilian diving: highly variable dive patterns in the green turtle *Chelonia mydas*. *Mar. Ecol. Progr. Ser* 185, 101-112.
- Hull C. L., Hindell M. A., Micheal K.** (1997). Foraging zones of royal penguins during the breeding season, and their association with oceanographic features. *Mar Ecol Prog Ser* 153:217-228
- Huxely R.** (1999). Historical overview of marine turtle exploitation on Ascension Island, South Atlantic. *Marine Turtle Newsletter*, 84, 7-9
- Jessop T. S, FitzSimmons N., Limpus N., Whittier T. S.** (1999). Interactions between behaviour and plasma steroids within the scramble mating system of the promiscuous green turtle *Chelonia mydas*. *Horm. Behav.* 36:86-97
- Jouventin P., Weimerskirch H.** (1990). Satellite tracking of wandering albatrosses. *Nature* 343:746-748
- Limpus C. J.** (1993). The green turtle, *Chelonia mydas*, in Queensland-breeding males in the southern great barrier reef. *Wildl Res* 20:513-525
- Limpus C. J., Gyuris E., Miller J, D.** (1988). Reassessment of the taxonomic status of the sea turtle genus *Natator* McCulloch, 1908, with a redescription of the genus and species. *Trans. R. Soc. South Aust.*, 112 (1), 1-9
- Lohmann K.J., Lohmann C.M.F., Ehrhart L.M., Bagley D.A. and Swing T.** (2004). Geomagnetic map used in sea-turtle navigation. *Nature* 428, 909-910.
- Luschi P., Akesson S., Broderick A. C., Glen F., Godley B. J., Papi F., Hays G. C.** (2001). Testing the navigational abilities of ocean migrants: displacement experiments of green turtles (*Chelonia mydas*) (2001). *Behav Ecol*, 50, 528-534
- Luschi P., Benhamou S., Girard C., Ciccione S., Roos D., Sudre J. and Benvenuti S.** (2007). Marine turtles use geomagnetic cues during open-sea homing. *Curr. Biol.* 17, 126-133.

- Luschi P., Hays G. C., del Seppia C., Marsh R., Papi F.** (1998). The navigational feats of green sea turtles migrating from Ascension Island investigated by satellite telemetry. *Proc. S. Soc. Lond. B* 265, 2279-2284
- Luschi P., Papi F., Liew H. C., Chan E. H., Bonadonna F.** (1996). Long-distance migration and homing after displacement in the green turtle (*Chelonia mydas*): a satellite tracking study. *J Comp Physiol A*, 178, 447-452
- Luschi P., Sale A., Mencacci R., Hughes G.R., Lutjeharms J.R.E. and Papi F.** (2003). Current transport in leatherback sea turtles (*Dermochelys coriacea*) in the ocean. *Proc. R. Soc. Lond. B* 270 Suppl. 2, 129-132.
- Lutcavage M.E., Lutz P. L.** (1997). Diving physiology. In : Lutz P. L., Musick J. A. (eds) The biology of sea turtles. CRC Press, Boca Raton, pp. 277-296
- McConnel B. J., Fedak M. A.** (1996). Movements of southern elephant seals. *Can J Zool* 74:1485-1496
- Meffe G. C., Carroll C. R. et al.,** (1997). Principles of conservation biology. Sinauer Associates, Sunderland, MA.
- Meylan A. B., Bowen B. W., Avise J. C.** (1990b). A genetic test of the natal homing versus social facilitation models for green turtle migration. *Science*, 248, 724
- Meylan P. A., Meylan A. B., Yeomans R.** (1992). Interception of Tortoguero-bound green turtles at Bocas Del Toro province, Panama, in *Proceedings of the Eleventh Annual Symposium on Sea turtles Biology and Conservation*. NOAA Tech. Memo. NMFS-SWFSC-32
- Miller J. D.** (1997). Reproduction in sea turtles. In : Lutz P. L., Musick J. A. (eds) The biology of sea turtles. CRC Press, Boca Raton, pp.51-81
- Minamikawa, S., Naito Y., Sato K., Matsuzawa Y., Bando T., Sakamoto W.** (2000). Maintenance of neutral buoyancy by depth selection in the loggerhead turtle *Caretta caretta*. *J Exper Biol*, 203, 2967-2975
- Minamikawa, S., Naito Y., Uchida I.** (1997). Buoyancy control in diving behaviour of the loggerhead turtle, *Caretta caretta*. *J Ethol*, 15, 109-118
- Morreale S.J., Standora E.A., Spotila J.R. and Paladino F.V.** (1996). Migration corridor for sea turtles. *Nature* 384, 319-320.
- Mortimer J. A.** (1982). Feeding ecology of sea turtles, in *Biology and Conservation of Sea Turtles*, Bjornal K. A., (eds) Smithsonian Institution Press, Washington, DC., 103

- Mortimer J. A., Carr A. F.** (1987). Reproduction and migrations of the Ascension Island green turtle (*Chelonia mydas*). *Coepia*, 103-113
- Musick J.A. and Limpus C.J.** (1997). Habitat utilization and migration in juvenile sea turtles. In *The Biology of Sea Turtles*, eds. P.L. Lutz and J.A. Musick, pp. 137-164. CRC Press, Boca Raton.
- Papi F.** (1992). Animal homing. Chapman and Hall, London
- Papi F., Luschi P.** (1996) Pinpointing "Isla Meta": the case of sea turtles and albatrosses. *J. Exp. Biol.* 199:65-71
- Papi F., Luschi P., Akesson S., Caporossi S., Hays G. C.** (2000). Open-sea migrations of magnetically disturbed sea turtles. *J. Exp. Biol.* 203:3435-3443
- Papi F., Luschi P., Crosio E. and Hughes G.R.** (1997). Satellite tracking experiments on the navigational ability and migratory behaviour of the loggerhead turtle *Caretta caretta*. *Mar. Biol.* 129, 215-220.
- Plotkin P.T.** (2003). Adult migrations and habitat use. In *The Biology of Sea Turtles, Vol. II*, eds. P.L. Lutz, J.A. Musick and J. Wyneken, pp. 225-241. CRC Press, Boca Raton, FL, USA.
- Plotkin P. T., Bayles R. A. Rostal D. C., Owens D. W.** (1995) Independent versus socially facilitated oceanic migrations of the olive ridley *Lepidochelys olivacea*. *Mar. Biol.* 122:137-143
- Prange H. D.** (1976). Energetics of swimming of a sea turtle. *J Exp Biol* 64: pp. 1-12
- Primack R.** (1998a). Essential of conservation biology. Sinauer Associates, Sunderland, MA
- Pritchard P. C. H.** (1997). Evolution, phylogeny and current Status. In : Lutz P. L., Musick J. A. (eds) The biology of sea turtles. CRC Press, Boca Raton, pp. 1-28
- Renaud M. L., Carpenter J. A.** (1994). Movements and submergence pattern of loggerhead turtles (*Caretta caretta*) in the Gulf of Mexico determined through satellite telemetry. *Bull Mar Sci* 55:1-15
- Renaud M.L., Carpenter J.A., Williams J.A. and Manzella-Tirpak S.A.** (1995). Activities of juvenile green turtles, *Chelonia mydas*, at a jettied pass in South Texas. *Fish. Bull.* 93, 586-593.

- Schulz J. P.** (1975). Sea turtles nesting in Suriname. *Zoologische Verhandelingen*, 143, 1-143
- Seminoff J.A., Jones T.T. and Marshall G.J.** (2006). Underwater behaviour of green turtles monitored with video-time-depth recorders: what's missing from dive profiles? *Mar. Ecol. Progr. Ser.* 322, 269-280.
- Seymour R. S.** (1982). Physiological adaptations to aquatic life, in *Biology of the Reptilia*, in Vol 13, Gans C., Academic Press, New York, Chapter 1
- Stoneburner D.L.** (1982). Satellite telemetry of loggerhead sea turtle movement in the Georgia Bight. *Copeia* 1982, 400-408.
- Wilson E. O.** (1992). The diversity of life. Belknap Press of Harvard University Press, Cambridge, MA